

Printing date 2023-08-09 Revision: 2023-08-09

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- Trade name: Vinyl Acetate-Ethylene Redispersible Powder (VAEP)
- Applicable Models: DA-1405
- · Synonyms: Vinyl Acetate-Ethylene Powder; Redispersible Vinyl Acetate-Ethylene Powder
- · Relevant identified uses of the substance or mixture and uses advised against :
- · Identified/Recommended uses:

Manufacture of industrial substances

Adhesive

Binder

Sealant

Raw Material for:

Building and construction binders

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dairen Chemical Corporation

18th Floor, No. 223 Songjiang Rd., Zhongshan District

104072, Taipei, Taiwan

Tel: +886-2-7752-2800 Fax: +886-2-2509-9619

www.dcc.com.tw

- · Further information obtainable from: Respective plant's environmental, health, and safety (EHS) Dept.
- Emergency telephone number: +886-2-7752-2800 (08:30-17:30; GMT+8)

2 Hazards identification

· Classification of the substance or mixture:

The product is not classified as hazardous according to the Globally Harmonised System (GHS).

- · Label elements:
- · Hazard pictograms: None (Not Required) Not Regulated/Not Hazardous
- · Signal word: None (Not Required) Not Regulated/Not Hazardous
- · Hazard statements: None (Not Required) Not Regulated/Not Hazardous
- · Other hazard: May form combustible dust concentrations in air.

3 Composition/information on ingredients

- · Chemical characterisation: Mixtures
- · Description: Mixture: consisting of the following components.
- · Dangerous Components: No hazardous component.
- · Non-Hazardous Component(s):

24937-78-8 Vinyl acetate-ethylene copolymer powder

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- Description of first aid measures
- · General information: Personal protection for the First Aider.
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact:

Generally the product does not irritate the skin.

Rinse cautiously with water for several minutes.

If skin irritation continues, consult a doctor.



Printing date 2023-08-09 Revision: 2023-08-09

Trade name: Vinyl Acetate-Ethylene Redispersible Powder (VAEP)

(Contd. of page 1)

· After eye contact:

Rinse opened eye for 15 minutes under running water. If symptom persists consult a doctor.

· After swallowing:

Rinse mouth thoroughly with water.

Drink 1 or 2 glasses of water.

If symptoms persist consult doctor.

Most important symptoms and effects, both acute and delayed:

No known chronic or acute health risks.

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eye, skin, nose, and throat.

· Indication of any immediate medical attention and special treatment needed

Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Water spray

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture

When suspended in air, dust can pose an explosion hazard.

If dust layers are exposed to elevated temperatures, spontaneous combustion may occur.

Dense smoke is emitted when burned without sufficient oxygen.

Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:

Acetic acid vapours

Carbon monoxide (CO)

Carbon dioxide (CO2)

- Advice for firefighters
- · Protective equipment:

Wear protective fire fighting clothing (including fire fighting helmet, coat, trousers, boots, and gloves).

If necessary, wear fully protective suit and air respirator.

Wear self-contained respiratory protective device.

Wear positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves).

· Additional information

Cool endangered receptacles with water spray.

Do not inhale explosion gases or combustion gases.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

If possible, stop flow of product.

Ensure adequate ventilation

Avoid formation of dust.

Do not breathe dust/fume/gas/mist/vapours/spray.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Product forms slippery surface when combined with water.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Sweep up. Contain spilled material if possible. Collect in suitable and properly labeled containers.

Pick up and arrange disposal without creating dust.

(Contd. on page 3)



Printing date 2023-08-09 Revision: 2023-08-09

Trade name: Vinyl Acetate-Ethylene Redispersible Powder (VAEP)

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Wear protective gloves/protective clothing/eye protection/face protection.

Ensure good ventilation/exhaustion at the workplace.

Minimize dust generation and accumulation.

Use local exhaust ventilation if dust and aerosol are formed during handling.

Increased risk of slipping if substance comes into contact with water.

Information about fire - and explosion protection:

Normal measures for preventive fire protection.

When suspended in air, dust can pose an explosion hazard.

If fine dust will be generated during processing:

Avoid dust deposit, remove dust regularly.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Protect against electrostatic charges.

· Storage:

· Conditions for safe storage, including any incompatibilities

Store in cool, dry place in tightly closed receptacles.

Observe precautionary measures against dust explosion.

Further information about storage conditions: None.

8 Exposure controls/personal protection

· Control parameters

Ingredients with limit values that require monitoring at the workplace:

Respirable (inert) dust

OEL (USA) Ceiling limit: 5 mg/m³

- · Ingredients with biological limit values: No further relevant information available.
- · Personal protective equipment:

General protective and hygienic measures:

Do not eat, drink, smoke or sniff while working.

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Keep away from foodstuffs, beverages and feed.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

· Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

Use suitable respiratory protective device in case of insufficient ventilation.

In case of dust formation:

Fresh air mask

Filter A/P2

(Contd. on page 4)



Printing date 2023-08-09 Revision: 2023-08-09

Trade name: Vinyl Acetate-Ethylene Redispersible Powder (VAEP)

(Contd. of page 3)

· Protection of hands:



Protective gloves

The selected protective gloves have to satisfy the specifications of standard EN 374 or its equivalent. Replace gloves immediately when torn or any change in appearance (dimension, colour, flexibility etc) is noticed.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Plastic gloves

Rubber gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses with side shields conforming to EN166, ANSI 87.1-2010, or equivalent.

· Body protection:

Protective work clothing

The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form:
Colour:
White
Odourless
Odour threshold:
PH-value:
Melting point/freezing point:
Undetermined.
Initial boiling point and boiling range: Undetermined.

• Flash point: Not applicable - Not flammable/Noncombustible

· **Evaporation rate** Not applicable.

• **Flammability (solid, gas):** Product is not flammable.

Auto-ignition temperature:
 Decomposition temperature:
 350 °C

· **Ignition temperature:** Not determined.

• Explosive properties: Risk of dust explosion.

Dust Explosion Class ST1 (Weak explosion)

(Contd. on page 5)



Printing date 2023-08-09 Revision: 2023-08-09

Trade name: Vinyl Acetate-Ethylene Redispersible Powder (VAEP)

(Contd. of page 4)

· Explosion limits:

Lower: >10 g/m3
Upper: Not determined.

Vapour pressure: Not applicable.

Density: Not determined.
Relative density Not determined.

Vapour density Not applicable.
Evaporation rate Not applicable.

· Solubility in / Miscibility with

water: Dispersible.

• Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic: Not applicable. **Kinematic:** Not applicable.

10 Stability and reactivity

- · Reactivity: When properly handled and stored, no dangerous reaction is known.
- · Chemical stability: This product is stable under prescribed use and storage.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Possibility of hazardous reactions:

Risk of dust explosion if enriched with fine dust in the presence of air.

· Conditions to avoid:

Protect from heat. Keep ignition sources away.

Avoid static discharge.

Incompatible materials:

Strong oxidizing agents

Strong acids

Hazardous decomposition products:

Aldehyde Alcohol Acids

Decomposition products depend upon temperature, air supply and the presence of other materials.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity Not classified based on available data.
- · Skin corrosion/irritation: Not classified based on available data.
- · Serious eye damage/eye irritation: Not classified based on available data.
- · Respiratory or skin sensitization: Not classified based on available data.
- · Germ Cell Mutagenicity: Not classified based on available data.
- · Carcinogenicity: Not classified based on available data.
- · Reproductive Toxicity: Not classified based on available data.
- · Specific Target Organ Toxicity Single Exposure (STOT SE): Not classified based on available data.
- Specific Target Organ Toxicity Repeated Exposure (STOT RE):

Not classified based on available data.

- · Aspiration Hazard: Not classified due to lack of data.
- · Primary irritant effect:
- · Skin corrosion/irritation Dust particles may mechanically irritate the skin/eye.

(Contd. on page 6)



Printing date 2023-08-09 Revision: 2023-08-09

Trade name: Vinyl Acetate-Ethylene Redispersible Powder (VAEP)

(Contd. of page 5)

· Serious eye damage/irritation

Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eye, skin, nose, and throat.

Respiratory or skin sensitisation No sensitising effects known.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: Not classified based on available data.
- · Persistence and degradability Not easily biodegradable
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

On the basis of the necessary technical regulations and after consultation with the disposal agent and the relevant authorities, can be disposed of with domestic waste or incinerated with domestic waste. Any disposal method should also comply with national, regional, provincial, and local laws.

- · Uncleaned packaging:
- · Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

14 Transport information

 Dangerous Goods classification Status: Not classified as a dangerous good with respect to transport regulations (IMDG, IATA, ADN, ADR, US DOT).

· UN-Number

· ADR, ADN, IMDG, IATA None (Not a Dangerous Good)

· UN proper shipping name

· ADR, ADN, IMDG, IATA None (Not a Dangerous Good)

· Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class None (Not a Dangerous Good)

· Packing group

· ADR, IMDG, IATA None (Not a Dangerous Good)

· Environmental hazards:

· Marine pollutant: No

Special precautions for user Not applicable.

(Contd. on page 7)



Printing date 2023-08-09 Revision: 2023-08-09

Trade name: Vinyl Acetate-Ethylene Redispersible Powder (VAEP)

(Contd. of page 6)

· UN "Model Regulation": None (Not a Dangerous Good)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Status of global inventories:

All component(s) within this product is listed or exempted from the following country's chemical inventory:

EU - EINECS/NLP

China - IECSC

Canada - DSL

USA - TSCA

Korea - KECI

Japan - ENCS

Mexico - INSQ Australia - AICS

Taiwan - TCSI

Philippine - PICCS

Thailand - TECI

Vietnam - NCI

16 Other information

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

· Sources

External (M)SDS

Most toxicological and eco-toxicological data are obtained from European Chemical Agency (ECHA)'s public dissemination website.

General Disclaimers:

DCC Group recommends that all the users/customers/recipients to study this Safety Data Sheet (SDS) carefully and understand all the data or any potential hazards associated with this product. Please consult with appropriate expert if necessary. The information herein is provided in good faith and is believed to be accurate on the date of issue. No warranty, expressed or implied, is given. It is the customer's/user's responsibility to ensure that they are complying with local, regional, state, provincial, and/or national laws in using this product, as regulatory requirement may differ at each level. It is also the customer's/user's responsibility to determine the necessary condition required for using this product safely, as actual operating or usage conditions are beyond DCC Group's control. DCC Group will not be responsible for any SDS obtained from elsewhere other than from DCC Group. If you are unsure whether the SDS you have is current or have obtained the SDS from another source; please contact us to obtain the latest version.

GHS_E-