

Material Safety Data Sheet

Completed 26-03-2024
Revision: (date) 09-12-2024
SDS version 1.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Trade Name: Easytop EX
Product- no.: -

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses:

Coating material.

Uses advised against:

This product must not be used for purposes other than those recommended without first seeking the advice of the supplier.

1.3. Details of the supplier of the safety data sheet

Company and address:

OTE GmbH
Heideland 20
24976 Flensburg- Handewitt
Germany

Contact person and E-mail:

Nele-Inga Claussen, lab@omnicon.com

The Safety data sheet is completed and validated by:

Mediator A/S, Centervej 2, DK-6000 Kolding. Consultant: KN

1.4. Emergency telephone number

Use your national or local emergency number - For "First aid measures" see section 4.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The product is not subject to labelling under CLP Regulation No. 1272/2008.

2.2. Label elements

-

Signal word:

-

Contains 1,2-Benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction. (EUH 208)

If skin irritation or rash occurs: Get medical advice/attention. (P333 + P313)

2.3. Other hazards

The product contains organic solvents. Repeated exposure to organic solvents may cause damage to the central nervous system and internal organs fx. liver and kidney.

Additional labelling:

Contains 1,2-Benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-octyl-2H-isothiazol-3-one as a preservative.

Additional warnings

-

Material Safety Data Sheet



Completed

26-03-2024

SECTION 3: Composition/information on ingredients

3.1./3.2. Substances/Mixtures

Substance	EU-Index no. / REACH-Reg. no.	CAS-no.	EINECS-no.	CLP-classification	Wt/Wt %	Note
Butylglycol	603-014-00-0 / 01-2119475108-36-xxxx	111-76-2	203-905-0	Acute Tox. 4;H302, ATE = 1200 mg/kg bw, Skin Irrit. 2;H315, Eye Irrit. 2;H319, Acute Tox 3;H331, ATE = 3 mg/L (Vapours)	1-5	1
1,2-Benzisothiazol-3(2H)-one	613-088-00-6 / 01-2120761540-60-xxxx	2634-33-5	220-120-9	Acute Tox. 4;H302, Skin Irrit. 2;H315, Skin Sens. 1;H317, Eye Dam. 1;H318, Aquatic Acute 1;H400 M=1, Aquatic Chronic 2;H411 SCL: Skin Sens. 1; H317: C ≥ 0,05 %	<0,05	-
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	613-167-00-5 / -	55965-84-9	611-341-5	Acute Tox. 3;H301, Acute Tox. 2;H310+H330, Skin Corr. 1C;H314, Skin Sens. 1A;H317, Eye Dam. 1;H318, Aquatic Acute 1;H400, M=100, Aquatic Chronic 1;H410, M=100, EUH071 SCL: Eye Dam. 1; H318: C ≥ 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Corr. 1C; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Skin Sens. 1A; H317: C ≥ 0,0015 %	< 0,0015	-
2-octyl-2H-isothiazol-3-one	613-112-00-5 / -	26530-20-1	247-761-7	Acute Tox. 3;H301, ATE = 125 mg/kg bw, Acute Tox. 3;H311, ATE = 311 mg/kg bw, Skin Corr. 1;H314, Skin Sens. 1A;H317, Eye Dam. 1;H318, Acute Tox. 2;H330, ATE = 0.27 mg/L (dusts/mists), Aquatic Acute 1;H400 M=100, Aquatic Chronic 1;H410 M=100, EUH 071 SCL: Skin Sens. 1A; H317: C ≥ 0,0015 %	<0,0015	-

1) The substance is an organic solvent.

See full text of H-phrases in section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

In case of discomfort: Seek fresh air.

Seek medical advice in case of persistent discomfort.

Ingestion:

Wash out mouth thoroughly and drink 1-2 glasses of water in small sips.

Seek medical advice in case of discomfort.

Skin contact:

Remove contaminated clothing.

Wash the skin thoroughly with water and continue washing for a long time.

If skin irritation or rash occurs: Get medical advice/attention.

Eye contact:

Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.

Additional information:

When obtaining medical advice, show the safety data sheet or label.

Material Safety Data Sheet

Completed 26-03-2024

4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the doctor in attendance.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Surrounding fire:

Extinguish with powder, foam, carbon dioxide or water mist.

Do not use water stream, as it may spread the fire.

5.2. Special hazards arising from the substance or mixture

The product is not directly flammable. Avoid inhalation of vapour and fumes – seek fresh air.

Can generate harmful flue gases containing carbon monoxide in the event of fire.

Fire will produce dense black smoke.

Exposure to decomposition products may cause a health hazard.

5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

See section 8 for type of protective equipment.

Avoid contact with skin and eyes.

6.2. Environmental precautions

Do not discharge large quantities of concentrated spills and residue into drains.

6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers.

Wipe up minor spills with a cloth.

6.4. Reference to other sections

See section 8 for type of protective equipment.

See section 13 for instructions on disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See section 8 for information about precautions for use and personal protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely, out of reach of children and away from food, animal feeding stuffs, medicines, etc.

Keep in tightly closed original packaging.

7.3. Specific end use(s)

See application section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Indicative occupational exposure limit value (IOELV)

Substance	exposure limit mg/m ³ / ppm	exposure limit mg/m ³ / ppm	Note
Butylglycol	20 / 98	50 / 246	-

DNEL/PNEC-values:

DNEL Butylglycol

	Workers	Consumers
Inhalation - Chronic Systemic	98 mg/m ³	59 mg/m ³
Inhalation - Acute Systemic	1091 mg/m ³	426 mg/m ³
Inhalation - Acute Local	246 mg/m ³	147 mg/m ³
Oral - Chronic Systemic	-	6,3 mg/kg bw/day
Oral - Acute Systemic	-	26,7 mg/kg bw/day

Material Safety Data Sheet

Completed 26-03-2024

PNEC Butylglycol

Fresh water	8,8 mg/L
Intermittent releases (Fresh water)	26,4 mg/L
Marine water	0,88 mg/L
Soil	2,33 mg/kg soil dw

PNEC 2-octyl-2H-isothiazol-3-one

Fresh water	2,2 µg/L
Intermittent releases (Fresh water)	1,22 µg/L
Marine water	0,22 µg/L
Intermittent releases (Marine water)	0,122 µg/L
Soil	8,2 µg/kg soil dw

8.2. Exposure controls

There are no exposure scenarios for this product.

Appropriate engineering controls:

Wear the personal protective equipment specified below.

Wash hands before breaks, before using restroom facilities, and at the end of work.

Personal protective equipment:



Respiratory protection:

Generally not required.

Hand protection:

Wear protective gloves made of nitrile rubber (> 0,11 mm). Protective gloves conforming to EN 374.

Penetration time: > 480 min

Eye/face protection:

Wear safety goggles if there is a risk of eye splash.

Eye protection conforming to EN 166.

Skin protection:

Not required.

Environmental exposure controls:

Ensure compliance with local regulations for emissions.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	White / Light yellow
Odour:	Characteristic
Melting point/ Freezing Point (°C):	-
Boiling point or initial boiling point and boiling range (°C):	-
Flammability:	-
Lower and upper explosion limit (vol-%):	-
Flash point (°C):	-
Auto-ignition temperature (°C):	-
Decomposition temperature (°C):	-
pH:	7 - 9
Kinematic viscosity (mm ² /s):	-
Solubility:	Miscible with water
Partition coefficient n-octanol/water (log value)	-
Vapour pressure:	-
Density and/or relative density:	-
Relative vapour density:	-
Particle characteristics:	-

9.2. Other information

VOC (Volatile organic compounds):	4 %
-----------------------------------	-----

Material Safety Data Sheet

Completed 26-03-2024

SECTION 10: Stability and reactivity

10.1. Reactivity

No data.

10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Avoid contact with strong bases.

Avoid contact with strong oxidising agents.

Avoid contact with strong reducing agents.

Avoid contact with strong acids.

10.6. Hazardous decomposition products

No special precautions regarding contact with other materials at the recommended storage conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Based on the existing data, the classification is not met.

Substance	exposure	Species	Test	Result
Butylglycol	Oral	Rat	LD50	1414 mg/kg bw
1,2-Benzisothiazol-	Oral	Rat	LD50	490 mg/kg bw
1,2-Benzisothiazol-	Dermal	Rat	LD50	> 2000 mg/kg bw
2-octyl-2H-isothiazol-	Oral	Rat	LD50	125 mg/kg bw
3-one				
2-octyl-2H-isothiazol-	Inhalation	Rat	LC50/ 4 Hours	270 mg/cm³ air
3-one				
2-octyl-2H-isothiazol-	Dermal	Rat	LD50	311 mg/kg bw
3-one				

Skin corrosion/irritation:

Irritating to skin – may cause reddening.

Can be absorbed through the skin causing symptoms such as dizziness and headache.

Serious eye damage/irritation:

May cause eye irritation.

Respiratory or skin sensitisation:

Contains 1,2-Benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Germ cell mutagenicity:

Based on the existing data, the classification is not met.

Carcinogenicity:

Based on the existing data, the classification is not met.

Reproductive toxicity:

Based on the existing data, the classification is not met.

STOT-single exposure:

The product releases organic solvent vapours which may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication.

STOT-repeated exposure:

Prolonged or repeated inhalation of vapours may cause damage to the central nervous system.

Aspiration hazard:

Based on the existing data, the classification is not met.

Material Safety Data Sheet

Completed 26-03-2024

11.2. Information on other hazards

Test data are not available.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Test duration	Species	Test	Result
Butylglycol	96 Hours	Fish	LC50	1474 mg/L
Butylglycol	48 Hours	Daphnia	EC50	1550 mg/L
Butylglycol	72 Hours	Algae	EC50	623 mg/L
1,2-Benzisothiazol-	96 Hours	Fish	LC50	2,15 mg/L
1,2-Benzisothiazol-	48 Hours	Daphnia	EC50	2,9 mg/L
1,2-Benzisothiazol-	72 Hours	Algae	EC50	110 µg/L

12.2. Persistence and degradability

Substance	Biodegradability	Test	Result
Butylglycol	Yes	OECD Guideline 301 B	28 Days 90,4%
1,2-Benzisothiazol-	Yes	OECD Guideline 301 C	4 Days 63%

12.3. Bioaccumulative potential

Substance	Potential bioaccumulation	LogPow
Butylglycol	No	0,81
1,2-Benzisothiazol-	No	0,7

12.4. Mobility in soil

Test data are not available.

12.5. Results of PBT and vPvB assessment

The product does not meet the criteria for PBT or vPvB.

12.6. Endocrine disrupting properties

Test data are not available.

12.7. Other adverse effects

None.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

The product is not classified as hazardous waste according to Waste Management. Disposal of spillage and waste via the municipal waste collection service with the specifications below is recommended.

EWC-Code	Description
20 01 99	Other fractions not otherwise specified

Specific labelling:

-

Contaminated packaging:

Empty packaging and residues can be disposed with household waste.

Material Safety Data Sheet

Completed 26-03-2024

SECTION 14: Transport information

The product is not covered by the rules for transport of dangerous goods by road and sea according to ADR, IMDG and IATA.

14.1 -14.4.

ADR

-

IMDG/IATA

-

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Maritime transport in bulk according to IMO instruments

Not relevant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Sources:

Commission Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, EU 2017/164 and EU 2019/1831 (the first, second, third, fourth and fifth IOELV Directives).

Directive 2004/37/EC with amendments

Additional labelling:

-

Restrictions for application:

Special care should be applied for employees under the age of 18. Young people under the age of 18 may not carry out any work causing harmful exposure to this product. Young people above 15 years are exempted this rule, if the product is a part of an education/training.

Special care should be applied for pregnant and lactating women.

Demands for specific education:

-

15.2. Chemical safety assessment

None.

SECTION 16: Other information

According to EU regulation 1907/2006 (REACH)

Other information:

Sources:

EC regulation 1907/2006 (REACH), with amendments.

EC Regulation 1272/2008 (CLP), with amendments.

Directive 2008/98/EC

ECHA - The European Chemicals Agency

Full text of H-phrases as mentioned in section 2+3:

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH 208	Contains 1,2-Benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1), 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

Material Safety Data Sheet

Completed 26-03-2024

Classification according to Regulation (EC) Nr. 1272/2008:

-

Abbreviations and acronyms used in the safety data sheet:

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals. Regulation (EC) No 1907/2006.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS-Number.: Chemical Abstracts Service number.

EC-Number.: EINECS and ELINCS Number (see also EINECS and ELINCS).

DNEL: Derived No Effect Level.

PNEC(s): Predicted No Effect Concentration(s).

STOT: Specific Target Organ Toxicity.

LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).

LC50: Lethal Concentration to 50 % of a test population.

EC50: The effective concentration of substance that causes 50% of the maximum response.

PBT: Persistent, Bioaccumulative and Toxic.

vPvB: Very Persistent and Very Bioaccumulative.

NOEC: The highest tested concentration at which, in a study, no statistically significant effect is observed in the exposed population compared with an appropriate control group.

NOAEL: The highest tested dose or exposure level at which there are no statistically significant increases in the frequency or severity of adverse effects between the exposed population and an appropriate control group; some effects may be produced at this level, but they are not considered adverse or precursors of adverse effects.

Other:

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

Minor changes have been made in following sections:

General update.

This material safety data sheet replaces version:

1.0